

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	504	seal.clm. and "65"/\$8.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/01 12:31
L2	124	65/533.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/01 12:31
L3	7	("2253089" "3045278" "4154592" "4572486" "4673427").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/01 12:31
L4	2	("5931984").URPN.	USPAT	OR	OFF	2005/08/01 12:31
L5	50	65/483.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/01 12:31
L6	108	65/484.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/01 12:31
L7	58	65/489.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/01 12:31
L8	45	(L5 or L6 or L7) and (sealing or seal or (sealed adj off) or (hermetically adj sealed) or cloistered or claustral or unventilated or airless or airtight or watertight or gastight or gasproof or airproof)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/01 12:31
L9	10	(L5 or L6 or L7) and (pressure adj regulator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/01 12:31
L10	1	65/533.ccls. and (pressure adj (regulator or valve))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/01 12:31

L11	10	(L5 or L6 or L7) and (pressure adj (regulator or valve))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/01 12:31
L12	42	65/533.ccls. and (pressure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/01 12:31
L13	2	"62176398"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/01 12:31
L14	28	"4006839"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/01 12:31
L15	4	"10331204"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/01 12:31
L16	1	"10/331204"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/01 12:31
L21	50	65/483.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/01 12:36
L22	108	65/484.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/01 12:36
L23	58	65/489.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/01 12:36
S1	496	seal.clm. and "65"/\$8.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/03 10:39

S2	122	65/533.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/03 11:33
S3	7	("2253089" "3045278" "4154592" "4572486" "4673427").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/03 10:42
S4	2	("5931984").URPN.	USPAT	OR	OFF	2004/12/03 10:57
S5	50	65/483.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/03 11:22
S6	108	65/484.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/03 11:22
S7	58	65/489.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/03 11:22
S8	45	(S5 or S6 or S7) and (sealing or seal or (sealed adj off) or (hermetically adj sealed) or cloistered or claustral or unventilated or airless or airtight or watertight or gastight or gasproof or airproof)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/03 11:33
S9	10	(S5 or S6 or S7) and (pressure adj regulator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/03 11:36
S10	41	65/533.ccls. and (pressure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/03 11:36
S11	1	65/533.ccls. and (pressure adj (regulator or valve))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/03 11:34
S12	10	(S5 or S6 or S7) and (pressure adj (regulator or valve))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/03 11:36

S13	2	"62176398"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/03 16:17
S14	28	"4006839"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/03 16:40
S15	2	"10331204"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/03 16:40
S16	1	"10/331204"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/03 16:40